Page <sup>-</sup>



**Revision Date:** 12/07/2021

### **Section 1. Product and Company Identification**

Product Identifier Lucas Slick Mist Ceramic Speed Wax, #11294

Product Use Description:

Milky White, turbid liquid with Minty odor for use as a gloss enhancer for

automobile surfaces

Manufacturer or suppliers' details

Lucas Oil Products, Inc. Emergency Number: (800) 255-3924 (ChemTel)

3199 Harrison Way NW Customer Service: (812) 738-1147 Corydon, IN 47112 USA Business Fax: (812) 734-0466

#### **Section 2. Hazards Identification**

**GHS Classification** 

Sensitization, Skin: Category 1B Eye Irritation: Category 2B

**GHS Label Elements** 

**Hazard Pictograms** 

**!** 

Hazard Word Warning

**Hazard Statements** 

May cause an allergic skin reaction

Causes eye irritation

#### **Precautionary Statements**

P337+313: If eye irritation persists: Get medical advice/attention P332+313: If skin irritation occurs: Get medical advice/attention

### 3. Composition Information on Ingredients

CAS Number	Wt %	Component Name
166736-08-9	<1%	Oxirane, 2-methyl-, poly- mer with oxirane,
1954684-31-1	<1%	mono(2- propylheptyl) ether Heptamethyl glycidyl oxypropyl trisiloxane polymer
	11/0	1

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

#### 4. First Aid Measures





**Revision Date:** 12/07/2021

Eye: Immediately flush with water. If any irritation or discomfort occurs, consult physician

Skin: No first aid should be needed. Thoroughly wash the affected area as a precaution.

Inhalation: Inhallation of any liquid should be considered potentially dangerous, consult a physician.

Oral: No first aid should be needed for oral contact. If product is swallowed, consult physician.

Comments: Treat symptomatically.

# 5. Fire Fighting Measures

### Extinguishing Media:

On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers.

#### Fire Fighting Measures:

Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

#### Unusual Fire Hazards:

None.

**Hazardous Decomposition Products** 

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde. Metal oxides.

#### 6. Accidental Release Measures

Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbant. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard.

Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain federal and state requirements.

# 7. Handling and Storage



3





Use with adequate ventilation. Avoid eye contact.

Use reasonable care and store away from oxidizing materials.

### 8. Exposure Controls and Personal Protection

166736-08-9	Oxirane, 2-methyl-, poly- mer with oxirane,	None Listed
	mono(2- propylheptyl) ether	,
		None Listed
	polymer	

### **Engineering Controls**

Local Ventilation: None should be needed. General Ventilation: Recommended.

Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum. Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection needed.

Inhalation: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Precautionary Measures: Avoid eye contact. Use reasonable care.

Comments: When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory sensitizer, and an irritant to the eyes, nose, throat, skin, and digestive system. Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

### 9. Physical and Chemical Properties

Flash Point None Upper Flamability Limit Not Determined

Auto Ignition Not Determined Lower Flamability Limit Not Determined

Physical State Liquid Color Milky White Vapor Press Not Determined

pH 6.8 Specific Gravity 0.98 Viscosity 2 cSt

Vapor Density (Air=1) Not Determined Melting Point °F 28°F Odor Mint

Water Solubility Dispersable VOC Content <1%

10. Stability and Reactivity

Stability Stable

Hazardous Polymerization Not Expected to Occur

Page 4

OIL PRODUCTS INC.

**Revision Date:** 12/07/2021

**Conditions to Avoid** Oxidizing materials can cause a reaction

Hazardous Decomposition Products

When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors.

Safe handling conditions may be maintained by keeping vapor OSHA

Permissible Exposure Limit for formaldehyde.

# 11. Toxicological Information

No known applicable information

# 12. Ecological Information

Complete information is not yet available

### 13. Disposal Considerations

RCRA Hazard Class (40 CFR 261)

When a decision is made to discard this material, as received, is it classified as a hazardous waste? No

State or local laws may impose additional regulatory requirements regarding disposal.

# 14. Transportation Information

Not subject to DOT. Not regulated

Not subject to IMDG code.

Not subject to IATA regulations

#### 15. Regulatory Information

OSHA Hazards: Moderate skin Irritant

### EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity - This material does not contain any components with a CERCLA RQ.

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: None

**SARA 302:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313:** SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65: This product does not contain any chemicals known to the State of California to



cause cancer, birth, or any other reproductive defects.

# 16. Other Information Revision Date 12/07/2021

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

# Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH American Conference of Government Industrial Hygienists

LD50 Lethal Dose 50%

AICS Australia, Inventory of Chemical Substances

LOAEL Lowest Observed Adverse Effect Level

DSL Canada, Domestic Sub- stances List

NFPA National Fire Protection Agency

NDSL Canada, Non-Domestic Sub- stances List

NIOSH National Institute for Occupational Safety & Health

CNS Central Nervous System

NTP National Toxicology Program

CAS Chemical Abstract Service

NZIoC New Zealand Inventory of Chemicals

EC50 Effective Concentration

NOAEL No Observable Adverse Effect Level

EC50 Effective Concentration 50%

NOEC No Observed Effect Concentration

EGEST EOSCA Generic Exposure Scenario Tool

OSHA Occupational Safety & Health Administration

EOSCA European Oilfield Specialty Chemicals Association

PEL Permissible Exposure Limit

EINECS European Inventory of Exist- ing Chemical Substances

PICCS Philipines Inventory of Commercial Chemical Substances

MAK Germany Maximum Concentration Values

PRNT Presumed Not Toxic

GHS Globally Harmonized System

RCRA Resource Conservation Recovery Act

>= Greater Than or Equal To

STEL Short-term Exposure Limit

IC50 Inhibition Concentration 50%

SARA Superfund Amendments and Reauthorization Act.

IARC International Agency for Re- search on Cancer

TLV Threshold Limit Value

IECSC Inventory of Existing Chemical Substances in China

TWA Time Weighted Average

ENCS Japan, Inventory of Existing and New Chemical Sub-stances

TSCA Toxic Substance Control Act

KECI Korea, Existing Chemical Inventory

UVCB Unknown or Variable Composition, Complex Reaction Products, and Biological Materials

<= Less Than or Equal To